



A.8992 NR 500 311

## MELODY / FUNTASY / BREATH

—  
The Melody, Funtasy, and Breath luminaires combine functional lighting with colorful atmospheric ceiling effects. The two asymmetrical crystal features, with their extra chaton-cut crystals, are uniquely decorative. These luminaires provide highly attractive illumination in hotel rooms and corridors as well as homes.

—  
Las luminarias Melody, Funtasy y Breath combinan iluminación funcional con unos coloridos efectos atmosféricos en el techo. Los dos elementos de cristal asimétricos, con sus cristales con un corte engastado, son un elemento decorativo único. Estas luminarias proporcionan una iluminación muy atractiva en habitaciones de hotel y pasillos, así como en el hogar.

—  
Les luminaires Melody, Funtasy et Breath associent éclairage fonctionnel et effets d'ambiance colorés au plafond. Les deux éléments en cristal asymétriques, avec leurs cristaux montés sur chatons, sont purement décoratifs. Ces luminaires dispensent un éclairage très séduisant dans les chambres d'hôtel et les couloirs, ainsi que dans les maisons particulières




A.8992 NR 500 110





A.8992 NR 500 011


A.8892 NR 500 301  
 A.8992 NR 500 311  
 A.8992 NR 500 321  
 A.8992 NR 500 100  
 A.8992 NR 500 110  
 A.8992 NR 500 120  
 A.8992 NR 500 001  
 A.8992 NR 500 011  
 A.8992 NR 500 021



## MELODY / FUNTASY / BREATH

RECESSED DOWNLIGHT. LUZ DE TECHO EMPOTRADA. PLAFONNIER INTENSIF ENCASTRÉ.

Depth of Insertion. Profundidad de inserción. Profondeur de montage. min. 10 cm  
 Ceiling Thickness. Grosor. Épaisseur du plafond. 1 - 1.5 cm  
 Ceiling Opening. Apertura del techo. Ouverture dans le plafond. Ø 6.5 cm



| # | Finish<br>Acabado<br>Finition | Crystal<br>Cristal<br>Cristal | Wattage<br>Vataje<br>Watts | Ø × Height<br>Ø × Altura<br>Ø × Hauteur | Weight<br>Peso<br>Poids |
|---|-------------------------------|-------------------------------|----------------------------|---|-------------------------|
|---|-------------------------------|-------------------------------|----------------------------|---|-------------------------|

### MELODY

|                   |  |                      |           |               |         |
|-------------------|--|----------------------|-----------|---------------|---------|
| A.8992 NR 500 301 | Gold Plated<br>Dorado Plateado<br>Doré     | Crystal AB / Crystal | max. 35 W | Ø 11 × 5.4 cm | 0.24 kg |
| A.8992 NR 500 311 | Chrome<br>Cromado<br>Chromé                |                      |           |               |         |
| A.8992 NR 500 321 | Chrome Matte<br>Cromado Mate<br>Chrome Mat |                      |           |               |         |

### FUNTASY

|                   |  |                 |           |               |         |
|-------------------|--|-----------------|-----------|---------------|---------|
| A.8992 NR 500 100 | Gold Plated<br>Dorado Plateado<br>Doré     | Crystal / Topaz | max. 35 W | Ø 11 × 5.4 cm | 0.24 kg |
| A.8992 NR 500 110 | Chrome<br>Cromado<br>Chromé                |                 |           |               |         |
| A.8992 NR 500 120 | Chrome Matte<br>Cromado Mate<br>Chrome Mat |                 |           |               |         |

### BREATH

|                   |  |                    |           |               |         |
|-------------------|--|--------------------|-----------|---------------|---------|
| A.8992 NR 500 001 | Gold Plated<br>Dorado Plateado<br>Doré     | Crystal / Sapphire | max. 35 W | Ø 11 × 5.4 cm | 0.24 kg |
| A.8992 NR 500 011 | Chrome<br>Cromado<br>Chromé                |                    |           |               |         |
| A.8992 NR 500 021 | Chrome Matte<br>Cromado Mate<br>Chrome Mat |                    |           |               |         |

Bulb Type. Tipo de bombilla. Type de lampe.

Halogen low voltage, 35 W, 12 V, ø 5.1 cm, pin base GU5.3, Coolspot, dispersion angle: 36°  
 Halógena bajo voltaje, 35 W, 12 V, ø 5.1 cm, bispina GU5.3, Coolspot, ángulo de irradiación 36°  
 Halogène basse tension, 35 W, 12 V, ø 5.1 cm, culot à broches GU5.3, Coolspot, angle de dispersion : 36°

Operating Devices. Dispositivos de servicio. Dispositifs de commande.

|                   |  |  |
|-------------------|--|--|
| A.9950 NR 500 130 | Electronic Transformer<br>Transformador Electrónico<br>Transformateur Electronique | Power output 35 - 105 VA, Output voltage 11.5 V,<br>Input voltage 230 - 240 V, 50/60 Hz, Dimensions 12 × 4.2 × 3.1 cm<br>Potencia disponible 35 - 105 VA, Voltaje de salida 11.5 V,<br>Voltaje de entrada 230 - 240 V, 50/60 Hz, Dimensiones 12 × 4.2 × 3.1 cm<br>Puissance de sortie 35 - 105 VA, Tension de sortie 11.5 V,<br>Tension d'entrée 230 - 240 V, 50/60 Hz, Dimensions 12 × 4.2 × 3.1 cm |
|-------------------|--|--|

